

LEOCH -BIKE 12V 24Ah Starter Battery

Battery / Accu | LEOCH | 12N24-4.DRY



220A CCA ensures reliable motorcycle ignition even in cold conditions, preventing starting failures on demand. This starter battery integrates proven lead-acid technology for dependable performance and cost-effectiveness across demanding rides.

Features

- Delivers reliable starting power with 220A CCA (EN) to ensure your motorcycle ignites instantly, even in cold weather.
- Specifically designed for the rigorous demands of motorcycle applications, ensuring dependable performance on every ride.
- Utilizes proven lead-acid technology for a balance of performance, longevity, and cost-effectiveness.
- Compact dimensions (197 × 132 × 181 mm) and a secure terminal layout facilitate easy installation and reliable electrical connection.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	24 Ah	220 A	7,7 kg	B00

Technical Specifications

General Information		Electrical Specifications	
Technology	Starter Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	24 Ah
Physical Specifications		Cold Cranking Amps (EN)	220 A
Length	197 mm	Layout	
Width	132 mm	Terminal Type	G
Height	181 mm	Terminal Position	+L
Weight	7,7 kg	Hold-Down Type	B00

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **12N24-4.DRY**
 Manufacturer Code: **12N24-4.DRY**
 Model: **LEOCH-BIKE**