

VARTA Dynamic SLI 12V 52Ah Starter Battery

Battery / Accu | VARTA | C22



470A cold-cranking power prevents engine failure in sub-zero temperatures, ensuring operational continuity for passenger cars and light commercial vehicles. Proven lead-acid technology delivers dependable starting energy, providing a cost-effective solution for everyday automotive demands.

Features

- Delivers 470A of cold-cranking power, ensuring reliable engine starts even in sub-zero temperatures for uninterrupted vehicle operation.
- Engineered specifically for demanding automotive applications, providing the robust starting power required for passenger cars and light commercial vehicles.
- Utilizes proven lead-acid technology for dependable performance and a cost-effective energy solution tailored to everyday automotive needs.
- Compact dimensions (207x175x190mm) and a weight of 12kg ensure straightforward, secure installation in a wide array of vehicle battery compartments.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	52 Ah	470 A	12,4 kg	B13

Technical Specifications

General Information		Electrical Specifications	
Technology	Starter Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	52 Ah
Physical Specifications		Cold Cranking Amps (EN)	470 A
Length	207 mm	Layout	
Width	175 mm	Terminal Type	AUTOMOTIVE
Height	190 mm	Terminal Position	+R
Weight	12,4 kg	Hold-Down Type	B13
Case Type	H4/L1		

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **C22**
 EAN/Barcode: **4016987167564**
 Manufacturer Code: **C22**
 Model: **Dynamic SLI**