VARTA Dynamic SLI 12V 74Ah Starter Battery

Battery / Accu | VARTA | E11



Across passenger cars and light commercial vehicles where sub-zero engine starts are critical, 680A cold-cranking power delivers rapid and reliable ignition, minimizing vehicle downtime. This advanced SLI technology ensures consistent starting performance throughout its service life.

Features

- Delivers 680A of cold-cranking power, ensuring rapid and reliable engine starts even in sub-zero temperatures, minimizing vehicle downtime for fleet operators.
- Engineered for passenger cars, SUVs, and light commercial vehicles, providing dependable starting power for standard electrical systems.
- Utilizes advanced SLI (Starting, Lighting, Ignition) technology for consistent and powerful battery performance throughout its service life.
- Built to DIN standards with a robust casing and reliable terminal connections, offering secure fitment and resistance to vibration for extended durability.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	**74 Ah**	**680 A**	**16,82 kg**	**B13**

Technical Specifications

General Information

Technology	**Starter Battery**
Chemistry	**Lead-Acid**

Physical Specifications

Length	**278 mm**
Width	**175 mm**
Height	**190 mm**
Weight	**16,82 kg**
Case Type	**H6/L3**

Electrical Specifications

Nominal Voltage	**12 V**
Rated Capacity (C20)	**74 Ah**
Cold Cranking Amps (EN)	**680 A**

Layout

Terminal Type	**AUTOMOTIVE**
Terminal Position	**+R**
Hold-Down Type	**B13**

Regulatory Compliance

CE

Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3

Regulatory: CE | Bebat | ADR

Product Identification

Item Code:	**E11**
EAN/Barcode:	**4016987167656**
Manufacturer Code:	**E11**
Model:	**Dynamic SLI**

Specifications are subject to change without notice. © 2026 De Hoeve Multipower B.V.