

VARTA Dynamic SLI 12V 74Ah Starter Battery

Battery / Accu | VARTA | E11



Across passenger cars and light commercial vehicles where sub-zero engine starts are critical, 680A cold-cranking power delivers rapid and reliable ignition, minimizing vehicle downtime. This advanced SLI technology ensures consistent starting performance throughout its service life.

Features

- Delivers 680A of cold-cranking power, ensuring rapid and reliable engine starts even in sub-zero temperatures, minimizing vehicle downtime for fleet operators.
- Engineered for passenger cars, SUVs, and light commercial vehicles, providing dependable starting power for standard electrical systems.
- Utilizes advanced SLI (Starting, Lighting, Ignition) technology for consistent and powerful battery performance throughout its service life.
- Built to DIN standards with a robust casing and reliable terminal connections, offering secure fitment and resistance to vibration for extended durability.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	74 Ah	680 A	16,82 kg	B13

Technical Specifications

General Information		Electrical Specifications	
Technology	Starter Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	74 Ah
Physical Specifications		Cold Cranking Amps (EN)	680 A
Length	278 mm	Layout	
Width	175 mm	Terminal Type	AUTOMOTIVE
Height	190 mm	Terminal Position	+R
Weight	16,82 kg	Hold-Down Type	B13
Case Type	H6/L3		

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **E11**
 EAN/Barcode: **4016987167656**
 Manufacturer Code: **E11**
 Model: **Dynamic SLI**