# EXIDE 12V 96Ah Start-Stop Battery

Battery / Accu | EXIDE | EK960




With 850A cold-cranking power, the EK960 ensures reliable engine starting in all weather conditions, minimizing downtime for fleet vehicles. Engineered for start-stop systems, it consistently powers frequent engine restarts and advanced onboard electronics using advanced AGM technology.

## Features

- With 850A cold-cranking power, the EK960 ensures reliable engine starting in all weather conditions, minimizing downtime for fleet vehicles.
- Engineered for the rigorous demands of start-stop vehicles, this battery consistently powers frequent engine restarts and advanced onboard electronics.
- Utilizing advanced AGM (Absorbent Glass Mat) technology, the EK960 offers superior vibration resistance and maintenance-free operation for enhanced longevity.
- Designed for seamless integration, its standard L5 dimensions and B13 terminal layout ensure broad compatibility with a wide array of modern vehicle platforms.

| NOMINAL VOLTAGE | RATED CAPACITY (C20) | COLD CRANKING AMPS (EN) | WEIGHT | HOLD-DOWN TYPE |
|---|---|---|---|---|
| **12 V** | **96 Ah** | **850 A** | **26,1 kg** | **B13** |

## Technical Specifications

### General Information

| | |
|---|---|
| Technology | **Start-Stop Battery** |
| Chemistry | **Lead-Acid** |

### Physical Specifications

| | |
|---|---|
| Length | **353 mm** |
| Width | **175 mm** |
| Height | **190 mm** |
| Weight | **26,1 kg** |

### Electrical Specifications

| | |
|---|---|
| Nominal Voltage | **12 V** |
| Rated Capacity (C20) | **96 Ah** |
| Cold Cranking Amps (EN) | **850 A** |

### Layout

| | |
|---|---|
| Terminal Position | **+R** |
| Hold-Down Type | **B13** |

### Regulatory Compliance

Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
**Regulatory: CE | Bebat | ADR**

### Product Identification

| | |
|---|---|
| Item Code: | **EK960** |
| EAN/Barcode: | **3661024035743** |



*Specifications are subject to change without notice. © 2026 De Hoeve Multipower B.V.*