EXIDE 12V 50Ah Starter Battery

Battery / Accu | EXIDE | EN500



500A cold-cranking amps deliver immediate, reliable engine starts, preventing critical operational delays and ensuring vehicle readiness. Its robust construction is specifically engineered to resist vibration and corrosion, guaranteeing long-term dependability in demanding marine environments.

Features

- Delivers 500A of charging current to ensure immediate and reliable engine starts, reducing downtime and enhancing operational readiness.
- Specifically engineered for marine environments, providing superior resistance to vibration and corrosion to ensure long-term dependability on the water.
- Features a high-capacity 50Ah rating, offering ample reserve power for multiple starting attempts and supporting essential onboard electronics during engine ignition.
- Compact dimensions (207x175x190 mm) and a weight of 12.1kg facilitate easy installation in a variety of marine battery compartments without compromising space or stability.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	**50 Ah**	**500 A**	**12,1 kg**	**B13**

Technical Specifications

General Information	
Technology	**Starter Battery**
Chemistry	**Lead-Acid**

Physical Specifications	
Length	**207 mm**
Width	**175 mm**
Height	**190 mm**
Weight	**12,1 kg**

Electrical Specifications	
Nominal Voltage	**12 V**
Rated Capacity (C20)	**50 Ah**
Cold Cranking Amps (EN)	**500 A**

Layout	
Terminal Position	**+R**
Hold-Down Type	**B13**

Regulatory Compliance

Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
Regulatory: CE | Bebat | ADR

Product Identification

Item Code:	**EN500**
EAN/Barcode:	**3661024036108**

Specifications are subject to change without notice. © 2026 De Hoeve Multipower B.V.