

EXIDE 12V 240Ah Starter Battery

Battery / Accu | EXIDE | EP2100



In demanding commercial vehicle environments, 1200A charging current enables rapid and reliable engine starts to minimise operational downtime. Advanced AGM technology provides superior vibration resistance and maintenance-free performance, ensuring consistent starting power.

Features

- Delivers robust 1200A charging current for rapid and reliable engine starts, minimizing downtime for your operations.
- Engineered for commercial vehicle fleets and heavy-duty machinery, ensuring consistent starting power in demanding operational environments.
- Features advanced AGM technology for superior vibration resistance and maintenance-free performance, enhancing operational reliability.
- Designed with robust casing and terminals for secure fitment and long-term durability in challenging conditions.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	240 Ah	1.200 A	70 kg	B00

Technical Specifications

General Information		Electrical Specifications	
Technology	Starter Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	240 Ah
Physical Specifications		Cold Cranking Amps (EN)	1.200 A
Length	518 mm	Layout	
Width	279 mm	Terminal Position	+L
Height	240 mm	Hold-Down Type	B00
Weight	70 kg		

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **EP2100**
 EAN/Barcode: **3661024035934**