

EXIDE 12V 80Ah Semi-Traction Battery

Battery / Accu | EXIDE | ET550



Multi-shift deep cycling demands sustained discharge depth without capacity loss — this semi-traction battery’s specialized design ensures longevity and consistent performance. Its robust construction integrates into material handling, mobile platforms, and backup power systems for extended operational periods.

Features

- Sustained power delivery for extended operational periods, enabling continuous equipment function without frequent recharging.
- Engineered for the rigors of semi-traction applications, including material handling, mobile platforms, and backup power systems.
- Optimized for deep cycling with a specialized design that ensures longevity and consistent performance through repeated charge and discharge cycles.
- Designed for reliable energy storage and delivery, ensuring your critical systems remain operational under demanding conditions.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	80 Ah	600 A	22 kg	B13

Technical Specifications

General Information		Electrical Specifications	
Technology	Semi-Traction Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	80 Ah
Physical Specifications		Cold Cranking Amps (EN)	600 A
Length	278 mm	Layout	
Width	175 mm	Terminal Position	+R
Height	190 mm	Hold-Down Type	B13
Weight	22 kg		

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **ET550**
 EAN/Barcode: **3661024036344**