

VARTA 180Ah Starter Battery

Battery / Accu | VARTA | M7

1100A cranking amps deliver rapid, high-current ignition, overcoming the critical startup limitations of demanding commercial applications. This PROM-SLI design sustains essential vehicle power for operational continuity in heavy-duty fleets.



Features

- Delivers 1100A of charging current, ensuring rapid and efficient recharging to maintain optimal battery health and readiness for immediate starts.
- Engineered for commercial vehicles, heavy-duty trucks, and agricultural machinery where consistent and powerful starting is critical for operational uptime.
- Features a PROM-SLI design, optimized for starting, lighting, and ignition functions, providing robust performance for essential vehicle power needs.
- Built to DIN standards with a B03 terminal configuration, ensuring broad compatibility with European vehicle electrical systems and secure connection.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	180 Ah	1.100 A	45 kg	B03

Technical Specifications

General Information		Electrical Specifications	
Technology	Starter Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	180 Ah
Physical Specifications		Cold Cranking Amps (EN)	1.100 A
Length	513 mm	Layout	
Width	223 mm	Terminal Type	1
Height	223 mm	Terminal Position	+R
Weight	45 kg	Polarity	4
Case Type	B	Hold-Down Type	B03

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **M7**
 EAN/Barcode: **4016987166284**
 Model: **M7**