VARTA 180Ah Starter Battery

Battery / Accu | VARTA | M7



1100A cranking amps deliver rapid, high-current ignition, overcoming the critical startup limitations of demanding commercial applications. This PROM-SLI design sustains essential vehicle power for operational continuity in heavy-duty fleets.

Features

- Delivers 1100A of charging current, ensuring rapid and efficient recharging to maintain optimal battery health and readiness for immediate starts.
- Engineered for commercial vehicles, heavy-duty trucks, and agricultural machinery where consistent and powerful starting is critical for operational uptime.
- Features a PROM-SLI design, optimized for starting, lighting, and ignition functions, providing robust performance for essential vehicle power needs.
- Built to DIN standards with a B03 terminal configuration, ensuring broad compatibility with European vehicle electrical systems and secure connection.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	**180 Ah**	**1.100 A**	**45 kg**	**B03**

Technical Specifications

General Information

Technology	**Starter Battery**
Chemistry	**Lead-Acid**

Physical Specifications

Length	**513 mm**
Width	**223 mm**
Height	**223 mm**
Weight	**45 kg**
Case Type	**B**

Electrical Specifications

Nominal Voltage	**12 V**
Rated Capacity (C20)	**180 Ah**
Cold Cranking Amps (EN)	**1.100 A**

Layout

Terminal Type	**1**
Terminal Position	**+R**
Polarity	**4**
Hold-Down Type	**B03**

Regulatory Compliance

CE

Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3

Regulatory: CE | Bebat | ADR

Product Identification

Item Code:	**M7**
EAN/Barcode:	**4016987166284**
Model:	**M7**

Specifications are subject to change without notice. © 2026 De Hoeve Multipower B.V.