

VARTA Dynamic EFB 12V 60Ah Start-Stop Battery

Battery / Accu | VARTA | N60



Automotive workshop and heavy-duty vehicle servicing requires a battery that sustains high cranking power for frequent restarts. Enhanced Flooded Battery (EFB) technology delivers 640A of cold-cranking power, specifically optimising cycle life for advanced start-stop systems.

Features

- Delivers 640A of cold-cranking power, ensuring reliable engine starts in demanding conditions.
- Optimized for vehicles equipped with advanced start-stop systems, providing superior cycle life.
- Utilizes Enhanced Flooded Battery (EFB) technology for increased resilience against frequent restarts and deeper discharges.
- Designed for consistent electrical system stability, supporting the high energy demands of modern vehicles.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
12 V	60 Ah	640 A	16,93 kg	B13

Technical Specifications

General Information		Electrical Specifications	
Technology	Start-Stop Battery	Nominal Voltage	12 V
Chemistry	Lead-Acid	Rated Capacity (C20)	60 Ah
Physical Specifications		Cold Cranking Amps (EN)	640 A
Length	242 mm	Layout	
Width	175 mm	Terminal Type	AUTOMOTIVE
Height	190 mm	Terminal Position	+R
Weight	16,93 kg	Hold-Down Type	B13
Case Type	H5/L2		

Regulatory Compliance

CE Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3
 Regulatory: CE | Bebat | ADR

Product Identification

Item Code: **N60**
 EAN/Barcode: **4016987167311**
 Manufacturer Code: **N60**
 Model: **Dynamic EFB**