

# TBS-ELECTRONICS 12V 60A Multi-Bank Charger

Battery Charger / Acculader | TBS-ELECTRONICS | OC2-12-60



Delivers 60A charging current, ensuring rapid power restoration across multiple battery banks to minimise operational downtime. Its advanced multi-bank technology optimises charge profiles for enhanced system performance and longevity in demanding marine and RV environments.

### Features

- Delivers 60A of charging current, ensuring rapid and efficient power restoration for multiple battery banks, reducing operational downtime.
- Engineered for demanding marine and RV environments, providing reliable power management for dual and triple battery systems.
- Utilizes advanced multi-bank charging technology to optimize the charge for each individual battery bank, enhancing overall system performance and longevity.
- Designed for robust operation in challenging conditions, ensuring consistent power delivery for critical onboard systems.

NOMINAL OUTPUT VOLTAGE	MAX OUTPUT CURRENT	WEIGHT
<b>12 V</b>	<b>60 A</b>	<b>5,5 kg</b>

## Technical Specifications

Output		Connectivity & Protection	
Nominal Output Voltage	<b>12 V</b>	Reverse Polarity Protection	<b>? Yes</b>
Max Output Current	<b>60 A</b>	Short Circuit Protection	<b>? Yes</b>
Physical Specifications			
Length	<b>351 mm</b>		
Width	<b>210 mm</b>		
Height	<b>114 mm</b>		
Weight	<b>5,5 kg</b>		

### Regulatory Compliance

**CE** Standards: EN 60335-2-29, EN 55014, EN 61000-3-2  
Regulatory: CE

### Product Identification

Item Code: **OC2-12-60**  
Model: **OC2-12-60**