

TBS-ELECTRONICS 24V 50A Multi-Bank Charger

Battery Charger / Acculader | TBS-ELECTRONICS | OC24-50



Across fixed and mobile DC power systems where re-installation is impractical, 50A multi-bank charging delivers rapid power restoration and maximizes operational readiness. This 24V system efficiently services multiple batteries simultaneously, streamlining workshop operations and onboard systems.

Features

- Delivering 50A of charging current ensures rapid power restoration, minimizing vehicle or equipment downtime and maximizing operational readiness.
- Engineered for automotive, camper, marine, and heavy-duty applications, providing reliable power management in challenging mobile and industrial environments.
- Multi-bank charging capability allows for efficient servicing of multiple batteries simultaneously, streamlining workshop operations and onboard systems.
- A robust 24V system design ensures compatibility with a wide range of commercial vehicles, industrial machinery, and larger recreational craft.

NOMINAL OUTPUT VOLTAGE	MAX OUTPUT CURRENT	WEIGHT
24 V	50 A	6,2 kg

Technical Specifications

Output		Connectivity & Protection	
Nominal Output Voltage	24 V	Reverse Polarity Protection	? Yes
Max Output Current	50 A	Short Circuit Protection	? Yes
Physical Specifications			
Weight	6,2 kg		

Regulatory Compliance

CE Standards: EN 60335-2-29, EN 55014, EN 61000-3-2
Regulatory: CE

Product Identification

Item Code: **OC24-50**
Manufacturer Code: **OC24-50**
Model: **OC24-50**