

# ODYSSEY ODP-AGM48 AGM 12V 69Ah Starter Battery

Battery / Accu | ODYSSEY | ODP-AGM48-L3



720A CCA ensures reliable starting power, preventing engine failure in harsh winter conditions. Its AGM technology provides maintenance-free operation and superior vibration resistance for diverse Agri, Generator, Automotive, and Marine applications.

### Features

- Reliable starting power with 720A CCA ensures your engines turn over even in the harshest winter conditions.
- Designed for resilience in Agri, Generator, Automotive, and Marine applications, offering dependable power across diverse operational environments.
- AGM technology delivers maintenance-free operation and superior vibration resistance, ensuring longevity in high-impact applications.
- Sealed, spill-proof construction offers safe and flexible installation options in various orientations without risk of leakage.

NOMINAL VOLTAGE	RATED CAPACITY (C20)	COLD CRANKING AMPS (EN)	WEIGHT	HOLD-DOWN TYPE
<b>12 V</b>	<b>69 Ah</b>	<b>720 A</b>	<b>21,8 kg</b>	<b>B00</b>

## Technical Specifications

General Information		Electrical Specifications	
Technology	<b>Starter Battery</b>	Nominal Voltage	<b>12 V</b>
Chemistry	<b>Lead-Acid</b>	Rated Capacity (C20)	<b>69 Ah</b>
Physical Specifications		Cold Cranking Amps (EN)	<b>720 A</b>
Length	<b>277 mm</b>	Cold Cranking Amps (SAE)	<b>760 A</b>
Width	<b>175 mm</b>	Reserve Capacity	<b>130 min</b>
Height	<b>191 mm</b>	Layout	
Weight	<b>21,8 kg</b>	Terminal Type	<b>AUTOMOTIVE</b>
Case Type	<b>GR48</b>	Terminal Position	<b>+R</b>
Operating Conditions		Polarity	<b>Right posi</b>
Max Operating Temp	<b>60 °C</b>	Hold-Down Type	<b>B00</b>

### Regulatory Compliance

**CE** Standards: EN 50342, EN 61427, EN 62133, IEC 62619, UN 38.3  
 Regulatory: CE | Bebat | ADR

### Product Identification

Item Code: **ODP-AGM48-L3**  
 EAN/Barcode: **635241140514**  
 Manufacturer Code: **48-720**  
 Model: **ODP-AGM48**